

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: STIHL Multilub**
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears
- **Article number:** 0781 120 1109, 0781 120 1110, 0781 120 1021, 0781 120 1027
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Multipurpose grease for hedge trimmers and electric saw gears
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ANDREAS STIHL AG & Co.KG
Badstr. 115
D-71336 Waiblingen
Tel: +49(0)7151-26-3237
Fax: +49(0)7151-26-8-3237
Email: info@stihl.com
- **Informing department:**
Produktmanagement Forsttechnik
Tel: +49(0)7151-26-3237
Fax: +49(0)7151-26-83237
- **1.4 Emergency telephone number:**
Giftnotruf Berlin +49 30 30686 790
Information for transport Tel.: +49-621-60-43333 Fax: 49-621-60-92664

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



- **Signal word** Warning

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 1)

- **Hazard statements**

H319 Causes serious eye irritation.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- **Labelling of packages where the contents do not exceed 125 ml**

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard statements** Void

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Lithium soap lubricating grease on the basis of mineral oils.

- **Dangerous components:**

CAS: 68425-15-0 EINECS: 270-335-7	Dialkylpolysulfid Aquatic Chronic 4, H413	5-<10%
CAS: 4259-15-8 EINECS: 224-235-5 Reg.nr.: 01-2119493635-27	Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat) ☞ Eye Dam. 1, H318; ☞ Aquatic Chronic 2, H411	1-<5%

- **Additional information**

Highly refined mineral oil (IP 346 DMSO < 3%)

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information** Instantly remove any clothing soiled by the product.

- **After inhalation**

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 2)

If skin irritation continues, consult a doctor.

- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire
Carbon monoxide (CO)
Sulphur dioxide (SO₂)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Use water to keep fire exposed containers cool.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Avoid contact with eyes and skin.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Do not allow to enter the ground/soil.
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Collect mechanically.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Avoid contact with eyes and skin.
No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:**
Fumes can combine with air to form an explosive mixture.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
 Store only undamaged original packaging drums.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
 Protect from frost.
 Protect from heat and direct sunlight.
- **Storage class 11**
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
4259-15-8 Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat)		
Inhalative	Workers - long term - local effects	6.6 mg/m ³ (ECHA)

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 The usual precautionary measures should be adhered to general rules for handling chemicals.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**
 Oil resistant gloves
 In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
 Nitrile rubber, NBR
- **Eye protection:** Not required.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 4)

- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Pasty
· Colour:	Light brown
· Odour:	Characteristic

· **pH-value at 20 °C:** n.a.

· Change in condition

Melting point/Melting range: >190 °C
Boiling point/Boiling range: > 250 °C

· **Flash point:** > 200 °C

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

· **Density at 20 °C** 0.94 g/cm³ (DIN 51757)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** Avoid contact with strong oxidizing agents.

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **Primary irritant effect:**

· **Skin corrosion/irritation**

More frequent and continuous contact with the skin may result in irritation of the skin.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 5)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:**
Biodegradability is not probable due to the consistency as well as the low degree of water solubility of the product.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.
The waste code numbers mentioned are recommendations based on the probable use of the product.

- **European waste catalogue**

13 02 06*	synthetic engine, gear and lubricating oils
-----------	---

- **Uncleaned packagings:**
- **Recommendation:**
Dispose of packaging according to regulations on the disposal of packagings.
Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

- | | |
|---------------------------------------|------|
| · 14.1 UN-Number | |
| · ADR,RID,ADN, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR,RID,ADN, ADN, IMDG, IATA | Void |

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2015

Version number 6

Revision: 30.11.2015

Trade name: STIHL Multilub
Mehrzweckfett für Heckenscheren und Elektrosägengetriebe
Multipurpose grease for hedge trimmers and electric saw gears

(Contd. of page 6)

· 14.3 Transport hazard class(es)	
· ADR,RID,ADN, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR,RID,ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.
- **Department issuing data specification sheet:**
The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungs- und Prüfgesellschaft mbH, Phone: +49 5066 900990.
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4